







Modulo assiale di foratura e fresatura

Axial drilling and milling live tooling




Caratteristiche - Features



Ø 10



M8



ER16



4




5000



SX



DX



1-1



* NO



.



.



.

Macchina : CINCOM M20-M32

Torretta :

* Solo esterno *Outside only*





TFS28405


Modulo VDI - Live Tooling

Modulo assiale di foratura

Axial drilling live tooling




Caratteristiche - Features



Ø 10



M8



ER16



0.8




5000



DX



DX



1-1



* NO



.



.



.

Macchina : CINCOM C32-VIII



Torretta :

* Solo esterno *Outside only*



Modulo assiale di foratura

Axial drilling live tooling




Caratteristiche - Features



Ø 10



M8



ER20



0.8




5000



DX



DX



1-1



* NO



.



.



.

Macchina : CINCOM C32-VIII


Torretta :

* Solo esterno *Outside only*



TFS31005

Radial drilling and milling live tooling




* Solo esterno *Outside only*



Modulo assiale di foratura

Axial drilling live tooling




Caratteristiche - Features



Ø 10



M8



ER16



0,5




5000



DX



DX



1-1



* NO



.



.



.

Macchina : CINCOM K12-K16

Torretta :

* Solo esterno *Outside only*




TFS35307


Modulo VDI - Live Tooling

Modulo assiale di foratura


Axial drilling live tooling




Caratteristiche - Features



Ø 10



M8



ER16



1




8000



DX



DX



1-1



* NO



.



.



.

Macchina : CINCOM M16




Torretta :

* Solo esterno *Outside only*




Modulo radiale di foratura e fresatura


Radial drilling and milling live tooling




Caratteristiche - Features



Ø 7



M5



ER11



2




5000



DX



DX



1-1



* NO



.



.



.

Macchina : CINCOM K16

Torretta :

* Solo esterno *Outside only*




Type TFS23907




Modulo VDI - Live Tooling

Modulo radiale di foratura e fresatura


Radial drilling and milling live tooling




RADIAL ADJUSTMENT




Caratteristiche - Features



Ø 7



M5



ER11



1,3




5000



DX



DX/SX



1-1



* NO



.



.



.

Macchina : CINCOM K16


Torretta :

* Solo esterno Outside only




Modulo radiale di foratura e fresatura

Radial drilling and milling live tooling




Caratteristiche - Features



Ø 10



M8



ER16



4




3000



SX



DX



1-0,6



* NO



.



.



.

Macchina : CINCOM 720 VIII

Torretta :

* Solo esterno *Outside only*



TFS29207

Radial drilling and milling live tooling



Torretta :

* Solo esterno *Outside only*